SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Monia, B.P., Cowsert, L.M. and Manoharan, M.
- (ii) TITLE OF INVENTION: Antisense Oligonucleotide Inhibition of ras
- (iii) NUMBER OF SEQUENCES: 55
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Jane-Massey Licata
 - (B) STREET: 66 East Main Street
 - (C) CITY: Marlton
 - (D) STATE: NJ
 - (E) COUNTRY: USA
 - (F) ZIP: 08053
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: DISKETTE, 3.5 INCH, 1.44 Mb STORAGE
 - (B) COMPUTER: IBM COMPATIBLE
 - (C) OPERATING SYSTEM: WINDOWS 95
 - (D) SOFTWARE: WORDPERFECT 6.1 for WINDOWS
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: not assigned
 - (B) FILING DATE: herewith
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA 1:
 - (A) APPLICATION NUMBER: 09/128,494
 - (B) FILING DATE: August 3, 1998
- (vii) PRIOR APPLICATION DATA 2:
 - (A) APPLICATION NUMBER: 08/411,734
 - (B) FILING DATE: April 3, 1995
- (vii) PRIOR APPLICATION DATA 3:
 - (A) APPLICATION NUMBER: PCT/US93/09346
 - (B) FILING DATE: October 1, 1993

- (vii) PRIOR APPLICATION DATA 4:-
 - (A) APPLICATION NUMBER: 07/958,134
 - (B) FILING DATE: October 5, 1992
- (vii) PRIOR APPLICATION DATA 5:
 - (A) APPLICATION NUMBER: 08/007,996
 - (B) FILING DATE: January 21, 1993
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Jane Massey Licata
 - (B) REGISTRATION NUMBER: 32,257
 - (C) REFERENCE/DOCKET NUMBER: ISPH-0463
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (856) 810-1515
 - (B) TELEFAX: (856) 810-1454
- (2) INFORMATION FOR SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

CTTATATTCC GTCATCGCTC

20

- (2) INFORMATION FOR SEQ ID NO: 2:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:	· .	
	TCCGTCATCG CTCCTCAGGG	**************************************	205
(2)	INFORMATION FOR SEQ ID NO: 3:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 17		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:		
	CCACACCGAC GGCGCCC		17
(2)	INFORMATION FOR SEQ ID NO: 4:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 19		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:		
	CCCACACCGA CGGCGCCCA		19
(2)	INFORMATION FOR SEQ ID NO: 5:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

(1V) ANTI-SENSE: Yes	• • • • • • • • • • • • • • • • • • •
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:-	
GCCCACACCG ACGGCGCCCA C	21
(2) INFORMATION FOR SEQ ID NO: 6:	·
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 23 —	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:	
TGCCCACACC GACGGCGCCC ACC	23
(2) INFORMATION FOR SEQ ID NO: 7:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 20	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	•
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:	
TATTCCGTCA TCGCTCCTCA	20
(2) INFORMATION FOR SEQ ID NO: 8:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 5	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	

-	(iv) ANTI-SE	NSE: Yes						
	(xi) SEQUENC	E DESCRIPTION:	SEQ	ID NO:	8:-		·	
	CGACG		٠		-			5
(2)	INFORMATION FO	R SEQ ID NO: 9:	:					
	(i) SEQUENCE	CHARACTERISTIC	CS:					
	(A) LE	NGTH: 7 —	•					
	(B) TY	PE: Nucleic Aci	.d			•		
	(C) ST	RANDEDNESS: Sir	ıgle					
	(D) TO	POLOGY: Linear						
	(iv) ANTI-SE	NSE: Yes			-			
	(xi) SEQUENC	E DESCRIPTION:	SEQ.	ID NO:	9 :			
	CCGACGG	•		•				7
(2)	INFORMATION FO	R SEQ ID NO: 10	:					
	(i) SEQUENCE	CHARACTERISTIC	:S:					
	(A) LE	NGTH: 9						
	(B) TY	PE: Nucleic Aci	d					
	(C) ST	RANDEDNESS: Sin	gle					
	(D) TO	POLOGY: Linear						
•	(iv) ANTI-SE	NSE: Yes						
	(xi) SEQUENC	E DESCRIPTION:	SEQ I	ID NO:	10:			
	ACCGACGGC							9
	•							
(2)	INFORMATION FOR	R SEQ ID NO: 11	:					
	(i) SEQUENCE	CHARACTERISTIC	S:					
	(A) LEI	NGTH: 11						
	(B) TYI	PE: Nucleic Aci	d					
	(0) 97	NAMBEDNESS, Sin	~l o					

(1V) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11-: -	
CACCGACGGC G	*** - * ** ** ** ** ** ** ** ** ** ** **
(2) INFORMATION FOR SEQ ID NO: 12:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 13 —	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:	
ACACCGACGG CGC	13
(2) INFORMATION FOR SEQ ID NO: 13:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 15	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	
(D) TOPOLOGY: Linear	
(iv) ANTI-SENSE: Yes	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:	
CACACCGACG GCGCC	15
(2) INFORMATION FOR SEQ ID NO: 14:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 16	
(B) TYPE: Nucleic Acid	
(C) STRANDEDNESS: Single	

-	(iv) ANTI-SENSE: Yes (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:	- · _
	CCACACCGAC GGCGCC	16
(2)	INFORMATION FOR SEQ ID NO: 15:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 16	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:	
	CACACCGACG GCGCCC	16
(2)	INFORMATION FOR SEQ ID NO: 16:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 18	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:	
	CCCACACCGA CGGCGCCC	18
	·	
(2)	INFORMATION FOR SEQ ID NO: 17:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 18	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	

(xi) SEQ	UENCE DESCRIPTION:	SEQ ID NO: 1	7~: ~	<u> </u>	
CCACACCG	AC GGCGCCCA	•	-		ì
(2) INFORMATION	N FOR SEQ ID NO: 18:	, :			
(i) SEQUI	ENCE CHARACTERISTICS	S:			
(A)	LENGTH: 25				
(B)	TYPE: Nucleic Acid	i .			
(C)	STRANDEDNESS: Sing	,le			
(D)	TOPOLOGY: Linear				
(iv) ANTI	I-SENSE: Yes				
(xi) SEQU	JENCE DESCRIPTION:	SEQ ID NO: 18	3:		
TTGCCCACA	C CGACGGCGCC CACCA				25
		•		•	
(2) INFORMATION	FOR SEQ ID NO: 19:				
(i) SEQUE	NCE CHARACTERISTICS	:			
(A)	LENGTH: 17				
(B)	TYPE: Nucleic Acid		•		
(C)	STRANDEDNESS: Sing	le		•	
(D)	TOPOLOGY: Linear				
(iv) ANTI	-SENSE: Yes				
(xi) SEQU	ENCE DESCRIPTION:	SEQ ID NO: 19	:		
CCACACCGC	C GGCGCCC				17
(2) INFORMATION	FOR SEQ ID NO: 20:				
(i) SEQUE	NCE CHARACTERISTICS:	:			
(A)	LENGTH: 20				
(B)	TYPE: Nucleic Acid				
(C)	STRANDEDNESS: Singl	.e			

	•	
-	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20	·
	CTGCCTCCGC CGCCGCGCC	
(2)	INFORMATION FOR SEQ ID NO: 21:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:	
	CAGTGCCTGC GCCGCGCTCG	20
(2)	INFORMATION FOR SEQ ID NO: 22:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:	
	AGGCCTCTCT CCCGCACCTG	20
	-	
(2)	INFORMATION FOR SEQ ID NO: 23:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:	·	t
	TTCAGTCATT TTCAGCAGGC		20
(2)	INFORMATION FOR SEQ ID NO: 24:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 — ·		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:		
	TTATATTCAG TCATTTTCAG		20
(2)	INFORMATION FOR SEQ ID NO: 25:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes	•	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:		
	CAAGTTTATA TTCAGTCATT		20
	<u>.</u>		
(2)	INFORMATION FOR SEQ ID NO: 26:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 21		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:	
	GCCTACGCCA CCAGCTCCAA C	
	GCCTACGCCA CCAGCTCCAA C	2
/2) THEODWARDON DOD ODG TO NO OD	
(2) INFORMATION FOR SEQ ID NO: 27:	
-	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 17 — ·	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:	
	CTACGCCACC AGCTCCA	13
(2)	INFORMATION FOR SEQ ID NO: 28:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:	
	GTACTCCTCT TGACCTGCTG T	21
		21
(2)	INFORMATION FOR SEQ ID NO: 29:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 21	
	(B) TYPE: Nucleic Acid	

(C) STRANDEDNESS: Single

	·		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:	·	:
	CCTGTAGGAA TCCTCTATTG T		21
(2)	INFORMATION FOR SEQ ID NO: 30:		
-	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 —·		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:		
	GGTAATGCTA AAACAAATGC		20
(2)	INFORMATION FOR SEQ ID NO: 31:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:		
	GGAATACTGG CACTTCGAGG		20
(2)	INFORMATION FOR SEQ ID NO: 32:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 15		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOROLOGY: Linear		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:	·	t
	TACGCCAACA GCTCC	~~ . ,	15.
(2)	INFORMATION FOR SEQ ID NO: 33:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:		
	TTTTCAGCAG GCCTCTCTCC		20
(2)	INFORMATION FOR SEQ ID NO: 34:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear	•	
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:		
	TCAGTAATAG CCCCACATGG		20
(2)	INFORMATION FOR SEQ ID NO: 35:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 35:	•
	CCGGGTCCTA GAAGCTGCAG	20
(2)	INFORMATION FOR SEQ ID NO: 36:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 — ·	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 36:	
	TAAATCAGTA AAAGAAACCG	20
(2)	INFORMATION FOR SEQ ID NO: 37:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 37:	
	GGACACAGTA ACCAGGCGGC	20
(2)	INFORMATION FOR SEQ ID NO: 38:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) CTDANDEDNESS, Single	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 38:	·	
	AACAGAAGCT ACACCAAGGG	~ ·	20
(2)	INFORMATION FOR SEQ ID NO: 39:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 39:		
	CAGACCCATC CATTCCCGTG		20
(2)	INFORMATION FOR SEQ ID NO: 40:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 40:		
	GCCAAGAAAT CAGACCCATC		20
(2)	INFORMATION FOR SEQ ID NO: 41:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

•	(iv) A	ANTI-SENSE: Yes	
	(xi) S	SEQUENCE DESCRIPTION: SEQ ID NO: 41:	
		AGGGGGAAGA TAAAACCGCC	2
(2)	INFORMAT	TION FOR SEQ ID NO: 42:	
	(i) SE	EQUENCE CHARACTERISTICS:	
		(A) LENGTH: 20 — ·	
		(B) TYPE: Nucleic Acid	
		(C) STRANDEDNESS: Single	
		(D) TOPOLOGY: Linear	
	(iv) A	NTI-SENSE: Yes	
	(xi) S	EQUENCE DESCRIPTION: SEQ ID NO: 42:	
		CGCTTCCATT CTTTCGCCAT	20
(2)	INFORMAT	ION FOR SEQ ID NO: 43:	
	(i) SE	QUENCE CHARACTERISTICS:	
		(A) LENGTH: 20	
		(B) TYPE: Nucleic Acid	
		(C) STRANDEDNESS: Single	
	•	(D) TOPOLOGY: Linear	
	(iv) Al	NTI-SENSE: Yes	
	(xi) SE	EQUENCE DESCRIPTION: SEQ ID NO: 43:	
	C	CCGCACCCAG ACCCGCCCT	20
		-	
(2)	INFORMATI	ON FOR SEQ ID NO: 44:	
	(i) SEQ	QUENCE CHARACTERISTICS:	
	((A) LENGTH: 20	
	((B) TYPE: Nucleic Acid	
	Ċ	C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 44:		• .
	CAGCCCCAC CAAGGAGCGG	···	20
(2)	INFORMATION FOR SEQ ID NO: 45:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 —		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 45:		
	GTCATTTCAC ACCAGCAAGA		20
(2)	INFORMATION FOR SEQ ID NO: 46:		
(2)	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 46:		
	CAGTCATTTC ACACCAGCAA		20
(2)	INFORMATION FOR SEQ ID NO: 47:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 47:		
	CTCAGTCATT TCACACCAGC	, ,	20
(2)	INFORMATION FOR SEQ ID NO: 48:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20 ·		
	(B) TYPE: Nucleic Acid	•	
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 48:		
	CGTGGGCTTG TTTTGTATCA		20
(2)	INFORMATION FOR SEQ ID NO: 49:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		
	(iv) ANTI-SENSE: Yes		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 49:		
	CCATACAACC CTGAGTCCCA		20
	<u>.</u>		
(2)	INFORMATION FOR SEQ ID NO: 50:		
	(i) SEQUENCE CHARACTERISTICS:		
	(A) LENGTH: 20		
	(B) TYPE: Nucleic Acid		
	(C) STRANDEDNESS: Single		
	(D) TOPOLOGY: Linear		

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 50:	
	CAGACAGCCA AGTGAGGAGG	20
		20
(2)	INFORMATION FOR SEQ ID NO: 51:	
-	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 — ·	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 51:	
	CCAGGGCAGA AAAATAACAG	20
(2)	INFORMATION FOR SEQ ID NO: 52:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 52:	
	TTTGTGCTGT GGAAGAACCC	20
(2)	INFORMATION FOR SEQ ID NO: 53:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20	
	(B) TYPE: Nucleic Acid	
	(C) STRANDEDNESS: Single	
	(D) TOPOLOGY: Linear	
	(iv) ANTI-SENSE: Yes	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 53:	

ርርጥል ጥጥል	ል ል ጥ	7 7 7 7	\ ጥርር ፖለር ·

20

- (2) INFORMATION FOR SEQ ID NO: 54:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear '
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 54:

ACTGATCACA GCTATTAAAT

20

- (2) INFORMATION FOR SEQ ID NO: 55:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21
 - (B) TYPE: Nucleic Acid
 - (C) STRANDEDNESS: Single
 - (D) TOPOLOGY: Linear
 - (iv) ANTI-SENSE: Yes
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 55:

GCCGAGGTCC ATGTCGTACG C

21